

# Anthelion Systems, Inc.

## Nano Status Input Smart Card


The next generation of low cost, high performance, data acquisition products are now available with Anthelion Systems. The Nano series will solve your companies cost and performance dilemmas.

Our "smart" devices utilize the latest technology in Micro controllers. They provide a great balance between price and performance. The cards were designed to withstand harsh environments with the result being outstanding durability, reliability and accuracy. They utilize the standard ModBus binary protocols for communication and to allow for their data to be retrieved by standard off the shelf Data Acquisition Software.

The Nano series Status card is a smart subsystem, it has 8 Optically Isolated inputs and an on board microprocessor that reads data continuously. The power to the status ports for user wiring is supplied from an on board power source.

The Nano card is a ModBus device with a RS485 port, all communication to the card is done through this port. The controller card has an on board Watchdog Timer and Brown Out protection, this system is low power and high performance.

A low power industrial PC is also available to scan the controller cards and archive the data based upon user configuration. Please contact Anthelion Systems for a solution to fit your companies growing needs.



Actual Size


Operating temperature: -20 to 70° C

Size: 4" X 4"

Power: +6 to 12 VDC @ 67 ma. Reverse Protected.

Communication: 2 wire RS485.

Status Inputs: 8 Optically Isolated, with on board Power Source.



LOW COST HIGH PERFORMANCE DISTRIBUTED SYSTEM SOLUTION.

Anthelion Systems, Inc.



2825 Wilcrest, Suite 550  
Houston, Texas 77042  
Voice: 713-339-4455  
www.anthelion.com  
support@anthelion.com